D&LLTechnologies



Designed for smooth collaboration

Dell Pro 55 Plus 4K Monitor

MODEL: P5525QC

The world's #1 monitor company*

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024.



Foster team collaboration on this 55" 4K monitor that offers up to 90W of power.

Connect to productivity

Keep your laptop powered during presentations with USB-C charging that delivers up to 90W of power.

See more content at once and increase team engagement by daisy chaining two 4K monitors.

Simplified setup and management

Seamlessly integrate an optional Dell OptiPlex Micro in the lockable, powered compartment that also manages cables for a clutter-free setup.

With Crestron Connected® and Crestron XiO Cloud®, you can remotely manage and control the monitor within a network control system.

Impressive visuals and presentations

With In-Plane Switching (IPS) technology, this monitor offers a wide 178°/178° viewing angle, so you can get consistent views from any seat in the room.

Collaborate without straining your eyes with the always-on, built-in ComfortView Plus¹, which reduces low blue light without compromising color.

Your connectivity hub

Make your monitor a productivity hub with extensive connectivity options including HDMI, DP and USB-C - all in one clutter-free setup.

Plus, keep your laptop powered during presentations with USB-C charging that delivers up to 90W of power.



Manage your meeting spaces

With Crestron Connected® and Crestron XiO Cloud®, you can remotely manage and control the monitor within a network control system.

Seamless integration with Dell Video Conferencing Room Solutions

This monitor has been tested and validated to work with complete conference room ecosystems that include audio, video and room control, powered by Dell OptiPlex Micro.

Integrate an optional Dell OptiPlex Micro in the lockable, powered compartment.



Collaborate in 4K

Make every presentation brilliant on a 55" screen in 4K.

See consistent colors across the screen with wide viewing angle enabled by In-Plane Switching (IPS) technology, and get better extended viewing experience with ComfortView Plus¹ that reduces low blue light without compromising color.

Click here to explore more.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

1 TÜV Rheinland certified – Low Blue Light Hardware Solution and Flicker Free (ID 1111285582)

Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.¹

Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.

More manageable

Scale up management across your entire fleet of Dell displays and client peripherals with streamlined firmware updates and expanded Command Line Interface features.²

Download Dell Display and Peripheral Manager

1 Based on Dell internal analysis - February 2025.

2 Firmware updates for fleet deployment are available for Dell Pro Plus Hub Monitors





Environmentally forward thinking

Material innovation

Designed with 30% recycled content including post-consumer recycled plastic, closed-loop ITE-derived plastic, recycled aluminum¹ and recycled glass.² Using recycled materials helps lower waste and your environmental footprint.

Environmental Standards

This monitor is certified ENERGY STAR®, carries the TCO Certified Edge designation, and is registered EPEAT Gold with Climate+. With Climate+, this monitor has met environmental criteria that address climate change and reducing greenhouse gas emissions.³

Low impact packaging

This monitor ships in a box made with 100% renewable content that is also recyclable.⁴

¹ Based on internal analysis, June 2024. Post-consumer recycled plastic, 72.7%, closed-loop ITE derived plastic 11.9% (based on plastic weight). Recycled aluminum, 100% in monitor heat sink.

² Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024.

³ Based on EPEAT Climate+ Designations achieved in all applicable countries. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status and tier levels by country.

⁴ Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, August 2023.



Recommended Accessories



Dell OptiPlex Micro

Dell OptiPlex Micro Form Factor enables an all-in-one like experience when combined with conferencing software. It allows video conferencing, whiteboarding, presentations and other applications to be run directly on the monitor or a very easy-to-use meeting experience.



Chief Large Fusion LSA1U Fixed Wall Display Mount


This robust mount with quick installation features secures heavy displays to protect user investments. Plumb adjustment helps vertically align the display.



Logitech MeetUp Conference Camera

This all-in-one HD conference camera features a compact design, extra-wide field of view, motorized wide-angle lens and integrated beamforming audio specifically designed for small rooms. RightSight technology automatically adjusts camera position and zoom so everyone can be seen.

Ports & Slots



- 1 HDMI 1
- **2** HDMI 2
- **3** DisplayPort (In)
- **4** DisplayPort (Out)
- 5 USB 3.2 Gen1 Type-C upstream (Alt mode with DP 1.4, up to 90W PD)
- 6 RS232

- 7 Audio line-out
- 8 USB 3.2 Gen1 Type-B (5Gbps) upstream
- **9** USB 3.2 Gen1 Type-A (5Gbps) downstream (2)
- 10 USB 3.2 Gen1 Type-C (5Gbps) downstream (up to 15W PD)
- **11** RJ45 for remote management

FEATURE	TECHNICAL SPECIFICATION	FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell Pro 55 Plus 4K Monitor - P5525QC	REMOTE	Crestron Connected® and Crestron XiO Cloud®
DIAGONAL VIEWING SIZE	1387.87 mm (54.64")	MANAGEMENT SPECIFICATIONS -	3-Year Limited Hardware Warranty with
PRESET DISPLAY AREA (H X V)	1209.60 mm x 680.40 mm (47.62" x 26.79")	SERVICE / SUPPORT DETAILS	Advanced Exchange Service
PANEL TYPE	In-Plane Switching (IPS) technology	VOLTAGE REQUIRED	100 VAC to 240 VAC / 50 Hz or 60 Hz \pm 3 Hz / 1.5 A (typ)
DISPLAY SCREEN COATING	Anti-Glare with 3H hardness, Haze 25%	POWER CONSUMPTION (OPERATIONAL) (TYPICAL)	0.3 W (Off Mode) ¹ 0.5 W (Standby Mode) ¹ 2.0 W (Networked standby Mode) ¹ 77.1 W (On Mode) ¹ 300 W (Max) ² 65.8 W (Pon) ³
MAXIMUM PRESET RESOLUTION	3840 x 2160		
REFRESH RATE	Up to 60 Hz	HEIGHT	727.83 mm (28.65")
VIEWING ANGLE	178° vertical / 178° horizontal	WIDTH	1247.43 mm (49.11")
PIXEL PITCH	0.3150 mm x 0.3150 mm	DEPTH	79.80 mm (3.14*)
PIXEL PER INCH (PPI)	81	WEIGHT WITH PACKAGING	33.80 kg (74.52 lb)
CONTRAST RATIO	1,200: 1 (typical)	WEIGHT WITHOUT PACKAGING, WITH CABLES AND ACCESSORIES	23.30 kg (51.37 lb)
ASPECT RATIO	16:9		
BACKLIGHT TECHNOLOGY	LED edgelight system	WEIGHT WITHOUT	22.40 kg (49.38 lb)
BRIGHTNESS	400 cd/m ² (typical)	PACKAGING	Security lock slot (cable lock sold separately)
RESPONSE TIME	8ms gray-to-gray (Normal mode)	0200	(based on Kensington Security Slot™)
COLOR SUPPORT	Color Gamut: NTSC min. 72% Color Depth: 1.07 Billion colors (8Bit + FRC) Yes	COMPLIANT STANDARDS	 ENERGY STAR certified monitor EPEAT GOLD EPEAT Climate+ TCO Certified Displays TCO Certified Edge RoHS-compliant BFR / PVC free monitor (excluding external cables) Arsenic-free glass and mercury-free (panel only)
LIGHT (HARDWARE SOLUTION)			
FLICKER FREE CONNECTIVITY	Yes 1 x DP 1.4 (supports 2 x Display 4K @ 60 Hz with DSC) 1 x DP Out (support MST) 1 x USB Type-C upstream (Alternate mode with DisplayPort 1.4, Power Delivery up to 90W) 1 x USB Type-C 3.2 Gen 1 (5Gbps) downstream (15 W) 2 x HDM 2.0 2 x USB-A 3.2 Gen 1 (5Gbps) downstream 1 x USB-B 3.2 Gen 1 (5Gbps) upstream 1 x USB-B 3.2 Gen 1 (5Gbps) upstream 1 x Analog 2.0 audio line out (3.5 mm jack) 1 x RJ45 for remote management 1 x RS232	FLAT PANEL MOUNT INTERFACE	VESA mounting holes (300 x 400 mm)
		TEMPERATURE RANGE	Operating: 0°C ~ 40°C (32°F ~ 104°F) Non-operating: -20° ~ 60°C (-4° ~ 140°F)
		HUMIDITY RANGE	Operating: 10% ~ 80% (non-condensing) Non-operating: 5% ~ 90% (non-condensing)
		ALTITUDE	Operating: 5,000 m (16,404 ft) max Non-operating: 12,192 m (40,000 ft) max
AUDIO OUTPUT	Audio line-out port	THERMAL DISSIPATION	1023.64 BTU/hour (maximum) 263.08 BTU/hour (on Mode)
BUILT-IN SPEAKERS	2 x 10 W	WHAT'S INCLUDED	 x Monitor panel x OptiPlex holder x Remote Control and Batteries (AAA x 2) x Power cable x Power cable for connecting OptiPlex system to display x DisplayPort-to-DisplayPort cable, 3.0m x HDMI-to-HDMI cable, 3.0m x USB-C Gen1 (C to C) cable, 1.8m x USB-2 Gen1 Type A-to-B (upstream) cable, 1.8m x Quick setup guide x Safety, Environmental, and Regulatory Information
USB POWER DELIVERY DELL DISPLAY AND PERIPHERAL MANAGER COMPATIBILITY	Yes, Power Delivery up to 90W Yes, Easy Arrange and other key features		

1 As defined in EU 2019/2021 and EU 2019/2013.

2 Max brightness and contrast setting.

3 Pon: Power consumption of On mode as defined in Energy Star 8.0 version. TEC: Total energy consumption in kWh as defined in Energy Star 8.0 version.

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service¹ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.²

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option. 3

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024.

- 1 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55° and above. Fee charged for failure to return defective unit. See dell com/servicecontracts/global.
- 2 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.
- 3 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum.